Kansas Permit No.: M-M012-SN01

Federal Permit No.: KSR044011

KANSAS WATER POLLUTION CONTROL MUNICIPAL SEPARATE STORM SEWER SYSTEM (MS4) PERMIT AND AUTHORIZATION TO DISCHARGE UNDER THE NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM

Pursuant to the provisions of Kansas Statutes Annotated 65-164 and 65-165, the Federal Water Pollution Control Act as amended, 33 U.S.C. 1251 $\underline{\text{et}}$ $\underline{\text{seq}}$., the "Act",


Permittee:

Leavenworth, City of

Permittee's Address:

100 N. 5th St.

Leavenworth, KS 66048



Drainage Basin:

Missouri River

County:

Leavenworth

is hereby authorized to discharge stormwater from the municipal separate storm sewer system (MS4) as described herein in accordance with the limitations, conditions and requirements set forth in this permit.

This permit is effective <u>November 1, 2019</u>, supersedes the previously issued MS4 general permit M-MO12-SN01 and expires October 31, 2024.

PERMIT AREA AND AUTHORIZED DISCHARGES

This permit covers all areas within the permittee's MS4 jurisdiction (the Permit Area). The Permit Area may change based upon areas incorporated into or removed from the permittee's jurisdictional area during the term of this permit.

This permit authorizes the discharge of all existing or new stormwater point source discharges from the Municipal Separate Storm Sewer System (MS4) located within the Permit Area. New stormwater discharges are those which are created and/or incorporated into the permittee's MS4 during the term of this permit.

Lee a. norman mo

Secretary, Kansas Department of Health and Environment

October 22, 2019 Date

Kansas Permit No.: M-MO12-SN01 Page 2 of 43

PART I. STORMWATER MANAGEMENT PROGRAM (SMP) DOCUMENT REQUIREMENTS

A. Current Stormwater Management Program

The permittee shall continue to implement and enforce the current Stormwater Management Program (SMP), as documented in the SMP document, until an updated SMP is implemented.

Any updated SMP shall be designed to:

- 1. Reduce the discharge of pollutants from the municipal separate storm sewer system (MS4) to the Maximum Extent Practicable (MEP),
- Continue to implement the six minimum control measures as listed in PART I Section C,
- 3. Satisfy the requirements of this permit, the Clean Water Act and Kansas surface water quality statutes and regulations.

Implementation of Best Management Practices (BMPs) consistent with the provisions of the SMP document and this permit constitutes compliance with the standard of reducing pollutants to the Maximum Extent Practicable.

B. Updated Stormwater Management Program document

The SMP shall be updated and submitted to KDHE between January 1 and February 28 of 2021 (submitted with the Annual Report and the updated SMP must be effective in 2021). As this permit imposes additional requirements for implementation of BMPs beyond what the previous permit imposed, the current SMP shall be modified with the SMP document updated to include the additional requirements imposed by this permit. To comply with new EPA regulations [National Pollutant Discharge Elimination System (NPDES) Municipal Separate Storm Sewer System General Permit Remand Rule (Remand Rule)], as finalized and effective January 9, 2017, this permit must include requirements in clear, specific, and measurable terms. Tables of BMPs are listed along with point values, and the permittee must implement sufficient listed BMPs to achieve minimum point requirements for each year beginning in 2021. The Remand Rule was published on December 9, 2016 in the Federal Register, Vol. 81, No. 237 beginning on page 89320.

This rule clarifies that terms and conditions must be expressed in terms which are "clear, specific, and measurable." The permit requirements must be enforceable and must provide a set of performance expectations and schedules readily understood by the permittee, the public, and the permitting authority alike. To provide as much flexibility to the permittee in implementing their stormwater management program in compliance with this permit and the Remand Rule, KDHE has elected to establish a point system and a list of various BMPs, tasks, or other conditions with associated point values to be tallied and demonstrate compliance with the total point requirement for each of the Six Minimum Control Measures and TMDL BMPs when required.

Kansas Permit No.: M-M012-SN01 Page 3 of 43

Modification of the SMP is permitted as the need arises. Modifications can be accomplished with any of the following methods:

- 1. Normally the SMP document is updated near the end of the calendar year and submitted to KDHE for review along with the annual report which is due after the first of the calendar year but before the 28th of February. In this case the permittee can begin implementation of the new SMP as soon as they have submitted the SMP to KDHE. The permittee is required to implement the SMP, which was most recently submitted to KDHE along with the annual report, throughout the entire year and may continue to implement the updated SMP until subsequently modified. The updated SMP as submitted must be approved by KDHE. If KDHE finds the SMP is not approvable, requirements for modification and resubmittal will be addressed to the permittee.
- 2. If it becomes necessary to modify the SMP at some time other than when the annual report is submitted to KDHE, the permittee may make the modifications to the SMP document and submit the SMP document to KDHE for approval. The permittee shall not begin implementation of the modified SMP until after KDHE has provided approval. KDHE may provide full approval of the modified SMP, or may provide conditional approval, may require revision of the modified SMP document and resubmission for subsequent review or may elect to not approve the modified SMP.
- 3. KDHE may require the permittee modify the SMP at any time, requirements for modification and resubmittal will be addressed to the permittee

C. Six Minimum Control Measures

The Permittee shall continue to review, update and implement BMPs with measurable goals for each of the six minimum control measures. The six minimum control measures and requirements are as follows:

1. Public Education and Outreach

The permittee shall continue to implement a public education program which includes distribution of educational materials to the community or conducting equivalent outreach activities which address the impacts of stormwater discharges on water bodies and the steps the public can take to reduce pollutants in stormwater runoff.

a. The implementation of BMPs for this minimum control measure must result in accumulation of a minimum of 4 points total on an annual basis for each calendar year 2021 and 2022. The point total requirement increases to 7 points for each calendar year beginning in 2023. The following table lists various BMPs, measurable goals, and the required timing-period or implementation-schedule to qualify for the points in the year.

In cases where the permittee is already implementing a BMP which qualifies for points, they may continue implementation of the BMP and earn the listed points as allowed for the first year of implementation under this permit as well as subsequent years.

Multiple BMPs involve holding public hearings or public forums; a single public hearing or forum can be held which addresses multiple topics and points claimed for all of the multiple BMPs implemented.

In addition to implementing a Public Education and Outreach program as required above, the permittee must implement sufficient listed BMPs in the table below to qualify for the required number of points.

BMP Summary	Measurable Goal	Implementation Time Schedule etc.	Points
Lbmp P Ed & O - 01		bonedare ecc.	
	Mary Control of		
Maintain a stormwater	Maintain the webpage	The webpage must be	·
webpage for the	with up to date	available	3 points may
permittee.	information with all links effective and	throughout the year once it is posted	be claimed in
	valid information.	and initially made	the first year
	Check all links and	available. In the	implemented,
	update website as	initial year posted	and 2 points may
	necessary on a	it must be	be claimed for
	minimum monthly	available for a minimum of 3 months	each
	basis. Document monthly checks in log	to qualify for the	successive
	book and indicate	points. In	year the
	changes with logged	subsequent calendar	webpage is maintained
	summaries.	years the points	available.
		may be claimed if	avarrabic.
		the webpage has been maintained	6. 2. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.
		throughout the	
		twelve months.	
Lbmp P Ed & O - 02			
Distribute educational	Number of all flyers,	Either flyers,	
materials (either	brochures, catalog	brochures, catalog	
flyers, brochures, catalog mailings,	mailings, handouts, or e-mails	mailings, handouts, or e-mails are to	
handouts, or e-mails)	distributed in a year	be distributed in	2 points may
addressing various	shall equal or exceed	at least two	be claimed in
pertinent stormwater	the most recent U.S.	separate batches,	a year in
public education topics.	Census Bureau	ideally in separate	which the
	decennial housing units value for the	seasons (either winter, spring,	required number of
	permit area. The	summer or fall).	flyers,
	applicable U.S.	However, the	brochures,
	Census housing units	required number of	catalog
	value shall be	flyers, brochures,	mailings,
	documented, and the number of flyers,	or e-mails must be distributed in a	handouts, or e-mails are
	brochures, or e-mails	single calendar	distributed.
	distributed shall	year and the points	
	also be documented.	can be claimed for	
	This information and	that year.	
	copies of the flyers, brochures, or e-mails		
	shall be retained on		
	file.		
Lbmp P Ed & O - 03			2 points may
			be claimed in any year in
Provide either training	Training or	The required amount	which the
or educational materials	educational materials	of training or	required
to permittee identified	must be provided,	distribution of	amount of
businesses at high risk	within the year, to	educational	training or
	IR	1	1
ousinesses at high risk of contributing to stormwater pollution.	at least five separate businesses	materials must occur within the	distribution of educationa

0	if the population of	year for which	material
Such businesses can include, but are not limited to, food service, auto service, disaster response and janitorial services. The training or educational materials shall address best management practices they can employ to minimize or avoid adverse stormwater impacts due to their operations.	if the population of the municipality is greater than 10,000, or three businesses if the population of the municipality is between 3,000 and 9,999, or two separate businesses if the population of the municipality is less than 3,000. There is no requirement to provide training to business in separate business categories, although it is	year for which points are claimed.	material occurs.
	allowed.		
Apply notification, placard, covers/hatches with message, or stencil, on stormwater inlets to provide a message similar to "No Dumping - Drains to River"	Apply this notification on at least 10% of all known stormwater inlets in the MS4.	The required number of placards, covers/hatches with message, or stencils must be placed within the year for which points are claimed. Alternately, points may be claimed in any subsequent year when an additional 5% of all known stormwater inlets in the MS4 bear the placard, covers/hatches with message, or stencil.	2 points may be claimed in years when the required number of inlets (10%) receive placards, covers/hatches with message, or stencils or in subsequent years when an additional 5% of all known stormwater inlets in the MS4 bear the placard, covers/hatches with message, or stencil.
Lbmp P Ed & O - 05 Post the municipality's MS4 permit and SMP document on either the stormwater web page or the municipal webpage. Lbmp P Ed & O - 06	The two documents must be posted for at least six months of the year to claim one point.	Months for which the posting occurs must be within the year for which points are claimed. No "carryover" of months from one year to the next.	1 point may be claimed for posting each year (minimum of at least six months).
Provide either a stormwater telephone hotline or web based or	Respond to all reported complaints within 10 days and,	The hotline/reporting system must be	for each year the hotline / reporting system is

text message method for if found valid, available to the maintained and public reporting of resolve or establish public for at least available. An illicit discharges. a schedule for six months in the additional resolution within 20 vear to claim the point may be days. Actual points. claimed for resolution may take each illicit more than 20 days, discharge but the schedule for resolved in resolution must be the year up to finalized and the a limit of 2 efforts to implement additional resolution must begin points per within 20 days year. One following receipt of point allowed complaint. Document per illicit complaints and discharge response/resolution resolved. process for all complaints received in the year. Resolution of an illicit discharge can include, but is not limited to; elimination of the discharge; on-site treatment to allow discharge to the MS4 (normally requires an NPDES permit); redirecting the discharge to a location that the discharge is not considered illicit, i.e., sanitary sewer or to holding tanks to allow the waste to be hauled off for appropriate treatment, reuse/recycle or disposal. Lbmp P Ed & O - 07 3 points may Provide educational Identify and educate All the be claimed material annually to at at least 4 requirements for each year this least four groups, groups/entities from sending educational BMP is including each of the the listed types material to the implemented in following types: annually developing various groups must compliance Residents, topics that are group occur in a single with the Businesses/Institutions, specific and address year to qualify for specified Commercial activities and or the points in that requirements. entities/Developers, and pollutants of year. Industrial facilities. concern. The educational material

may be provided as any of the following: > Brochures > Flyers > E-mails > Press release Lbmp P Ed & O - 08			
Provide stormwater education for students at a school campus within K-12 (those grades present at the campus) within the permittee's jurisdiction or within 30 miles from this permit area. The training may be limited to the individual campus (local school buildings associated with a single address). This training does not need to be provided to the entire school system, e.g., USD. Alternately, funding stormwater BMP installations and/or field trips at the school campus will qualify.	Provide or fund an educator or speaker that will reach at least 5% of the K-12 students as normally attend school in the selected school campus. Alternately, the funding of BMPs at the school campus may provide for any of the following: > Installation of BMPs at the school > stormwater related field trips > water quality stream sampling activities > construction of rain gardens on school property > rain barrel workshops > rain garden workshops	All of the required students (5% minimum) in K-12 at the selected campus must be educated in a single year to qualify for the points in that year. Alternately, stormwater BMPs may be funded at a school campus where students may participate in installation or observe operation of the BMPs. Any of the items listed under measurable goals qualify.	3 points may be claimed each year this BMP is implemented in compliance with the specified requirements (provide education and/or fund stormwater BMP installations at the school campus).
1. Operate an information booth at a large public event, (such as a sports event, fair, or music festival) where at least an estimated 1,000 or more individuals attend. 2. Alternately, operate an	Provide information about stormwater topics of current interest.	All events shall have the booth staffed by the permittee for at least 50% of the days the event occurs.	2 points may be claimed each year this BMP is implemented in compliance with the specified requirements for alternative 1. (1,000 or more attendees) or alternative 2. (3,000 attendees).

information booth at multiple public events, (such as a sports event, fair, or music festival) where a cumulative estimated total of 3,000 or more individuals attend. 3. And finally, a single point can be claimed for operating an information both			Finally, 1 point may be claimed each year this BMP is implemented in compliance with the specified requirements for alternative 3(200 attendees).
at a public event where at least an estimated 200 or more individuals attend.			
Lbmp P Ed & O - 10			
Provide either training or educational materials to lawn/turf care service entities addressing best management practices they can employ to minimize or avoid adverse stormwater impacts due to their operations.	Training or educational materials must be provided, within the year, to at least five lawn/turf care service entities or at least 20% of the lawn care service entities located in the municipality whichever is least.	The required amount of training or distribution of educational materials must occur within the year for which points are claimed.	2 points may be claimed in any year in which the required amount of training or distribution of educational material occurs.
Lbmp P Ed & O - 11 Adopt a public education program to reduce littering.	Install and/or maintain signs to discourage littering. Signs are to be located in areas where littering has been a problem.	Credit can be claimed for any year in which signs are installed and in place for greater than six months or in cases where signs have previously been installed in any year where the signs remain posted for the full year.	1 point may be claimed for the year when signs are posted for six months or more, or 1 point may be claimed in subsequent years where the signs remain posted throughout the year. 1 point may be claimed in any

	· · · · · · · · · · · · · · · · · · ·		
Create a stormwater information brochure to provide to the public at public meetings and/or hearings	Have multiple copies of the brochure available during at least 10 meetings or hearings open to the public during the year. Provide the brochures to the public at no charge.	The brochures shall address stormwater topics of concern.	year the brochures are made available to the public at meetings and/or hearings as required.
Operate an adopt a highway program to utilize public volunteers to clean road right-of-way.	The volunteers shall clean at least a two-mile segment of road either within the permit area or adjacent to the permit area. Alternately multiple spots (such as roadways, parks, and waterways) which are cleaned and equate to or exceed a two-mile road clean-up can qualify for a point.	The road right-of- way shall be cleaned at least once per year. Points may be claimed for any year in which cleaning has occurred.	1 point may be claimed in any year a two-mile road segment is cleaned or alternately multiple spots are cleaned which equate to or exceed a two-mile road clean-up.
Hold a media campaign addressing various pertinent stormwater public education topics.	Estimated media exposure during prime-time broadcasting for the duration of the campaign shall be 10 times the most recent U.S. Census Bureau decennial population value for the permit area. The date, time, and estimated media exposure for each spot broadcast shall be documented and kept on file along with the applicable U.S. Census population value.	The media campaign shall be run within the year for which points are claimed. A new media campaign shall be run for each year points are claimed.	2 points may be claimed in a year in which the media campaign meeting the minimum exposure rate is conducted.
Lbmp P Ed & O - 15 Develop or participate in an ongoing social media program on pertinent stormwater public education topics.	Publish or share social media content on the permittee's social media accounts at least six times per year. Record post topic, the number of	The required number of social media posts must occur within the year for which the posts are claimed.	2 points can be claimed in a year which the required number of content is shared.

	impressions and	<u> </u>	
	impressions and		
	engagement for each post. Include link to		
	The state of the s		
	permittee's		
	stormwater education		
Lbmp P Ed & O - 16	website.		
			2 points may
Operate an information	At least an estimated	The booth must be	be claimed
booth at a public event	800 or more	staffed at least	each year this
or hold a public event	individuals must	50% of the time the	BMP is
which is intended to	attend the event.		implemented in
improve public	accend the event.	event is open to	compliance
understanding of issues		the public.	with the
related to water			specified
quality. The event may			requirements.
be associated with any			Municipal
environmental related			staff from
issue including but not			multiple
limited to an			permittees may
environmental expo,			staff the both
earth day, world			and claim
wetlands day,			points, for
international day of			their
action for rivers, world			municipality,
fish migration day,			for this BMP
world biodiversity day,			if their staff
world oceans day, world			meet the 50%
cleanup day, world water			of the time
monitoring day, world			staffing
rivers day, and America			requirement.
recycles day.			
Lbmp P Ed & O - 17			
Operate an adopt a	The volunteers shall	The street right-	1 point may be
street program to	clean at least a two-	of-way shall be	claimed in any
utilize public	mile segment of	cleaned at least	year at least
volunteers to clean street right-of-way.	street, either a single street or	once per year.	two miles of
street fight-of-way.	multiple streets,	Points may be	street right-
	either within the	claimed for any	of-way is
7	permit area or	year in which cleaning has	cleaned by volunteers.
	adjacent to the	occurred.	volunceers.
	permit area.	occurred.	
	pormit dicu.		
		l	L

b. Documentation of compliance with the goal and implementation time - schedule must be maintained on file to claim the associated points. Permittee is responsible for implementing adequate BMPs to comply with the Public Education and Outreach requirements of this permit and be able to claim at least the required number of points in the calendar years as specified above. Extent of compliance, i.e., equal or exceed the required annual point total or failure to reach the required annual point total, must be reported in the Annual Report.

Kansas Permit No.: M-MO12-SN01 Page 11 of 43

c. The permittee is not limited to implementation of the BMPs listed in the above table. Several other BMPs may be implemented, however, only implementation of the BMPs listed in the table may be documented and counted toward the required annual point total.

2. Public Involvement/Participation

The permittee shall continue to implement a public involvement and participation program to solicit public comments and recommendations regarding the BMPs and measurable goals utilized by the permittee to comply with the permit. The permittee shall comply with State and local public notice requirements when implementing a public involvement and participation program.

a. The implementation of BMPs for this minimum control measure must result in accumulation of a minimum of 3 points total on an annual basis for each calendar year 2021 and 2022. The point total requirement increases to 6 points for each calendar year beginning in 2023. The following table lists various BMPs, measurable goals, and the required timing-period or implementation-schedule to qualify for the points in the year.

In cases where the permittee is already implementing a BMP which qualifies for points, they may continue implementation of the BMP and earn the listed points as allowed for the first year of implementation under this permit as well as subsequent years.

Multiple BMPs involve holding public hearings or public forums; a single public hearing or public forums can be held which addresses multiple topics and points claimed for all of the multiple BMPs implemented.

In addition to implementing a Public Involvement/Participation program as required above, the permittee must implement sufficient listed BMPs in the table below to qualify for the required number of points.

BMP Summary	Measurable Goal	Implementation Time Schedule etc.	Points
Lbmp P I/P = 01			
Hold a public hearing or public forum to notify the public about stormwater program activities and to solicit public comments regarding stormwater issues.	Provide public notice of the hearing/forum, invite local news media, either newspaper, radio or TV, and document the hearing with attendance sign-in sheet and minutes of the hearing which include public comments and responses.	Retain copies of the notices to public, invitations to attend, attendance sign-in sheets, and minutes. Points may be claimed in year which hearing is held.	2 points may be claimed each year this BMP is implemented in compliance with the specified requirements.
Lbmp P I/P - 02			3 points may be claimed each year this
Establish a citizens	Host the citizens	The citizens	BMP is
advisory committee.	advisory committee	advisory committee	implemented in
1	meetings twice yearly	must hold at least	compliance
	and receive comments	two meetings in	with the
ŀ	and guidance from the	the year which	specified
	committee regarding the		requirements.

	SMP. Retain on file	points are	
	copies of the	claimed.	
	attendance list and		
	minutes of the		
	meetings.		
Lbmp P I/P - 03		· · · · · · · · · · · · · · · · · · ·	****
Hold namk on atmosm	(1) com on one only ob		
Hold park or stream	Clean an area which	At least one such	
bank clean-up events	must be equal to or	clean-up activity	
for public volunteers	greater than one acre	must occur in the	
to aid municipal staff	or alternately at least	year for which	
in removing trash,	200 yards of	points are	3 points may
debris, or pollutant	streambank.	claimed.	be claimed
sources from the			each year this
selected clean-up	Alternately, for	•	BMP is
area.	municipalities with		implemented in
	less than 500		compliance
	population clean an		with the
	area which must be		specified
	equal to or greater		requirements.
	than a quarter of an		rodarramenca.
	acre or alternately at		
	least 100 feet of		
	streambank.	4	'
	streambank.		
Lbmp P I/P - 04			
Train either citizen	Provide training or	At least one such	
watch groups,	distribute training	training activity	2 points may
homeowner associations	materials to the group	or distribution of	be claimed
(HOAs), or public	participants at least	training materials	each year this
service groups to	once annually.	must be provided	BMP is
recognize illicit	0	to the group in	implemented in
discharge activities		the year for which	compliance
and communicate		points are	with the
		claimed.	
observations to		Claimed.	specified
appropriate municipal			requirements.
staff.			
Lbmp P I/P - 05			
			The second second
Provide at least two	Provide at least two	At least two	3 points may
events for residents	events in streams,	events in	be claimed
to engage in cleanup	streamside parks, areas	compliance with	each year this
activities and improve	adjacent to public	the stated goals	BMP is
water quality in the	waterways, and/or other	must be conducted	implemented in
municipality.	green	within the year	compliance
	infrastructure/water	for which points	with the
	resources. These	are claimed.	specified
	events can be any of		requirements.
	the following:		acquirements.
	Environmental		
	restoration events,		

		· · · · · · · · · · · · · · · · · · ·	
	stream cleanups, tree		
	plantings, or stream		
[[요즘 [[병합 : 그리는 바다 등자 기를 만드로 다]	monitoring.		
[HTPRF 4] : 사람들이 대회(여원)]		그 그는 경기는 돈 환경	
Lbmp P I/P - 06			2 points may
			be claimed
			each year this
Establish a program to	Encouragement can	One or more of the	BMP is
encourage residents to	include funding,	listed methods of	implemented in
install stormwater	grants, and other	encouragement must	compliance
treatment best	financial incentives,	be implemented in	with the
management practices	trainings and or	the year for which	specified
on their property.	giveaways. Stormwater	points are	requirements,
	treatment BMPs can	claimed.	with the
	include: rain barrels,		addition of 1
	rain gardens, native		additional
	plantings, native		point (for a
	trees, cisterns and		total of 3
	vegetated swales.		points in the
	Record participation		year) each
	numbers annually.		year that
			participation
			increases 10%
			from the
			previous year.
			providuo jourv
1			
Lbmp P I/P - 07			1 point may be
	[항조] 문화됐으는 이상 말통 생각이 되었는 생활		claimed for
	[12] 당출하다가 하실 때문도 그 남자?		the year in
Enact either an	The ordinance or	In the year the	which the
ordinance, a	resolution or other	Measurable Goal	Measurable
resolution, or other	enforceable measure	requirement is	Goal
enforceable	shall be enacted, and	implemented the	requirements
requirement that	signs posted informing	point may be	are enacted,
requires	the public of their	claimed and for	and
pet owners or their	obligation at the park.	each year	1 points may
keepers to immediately	The installation of a	thereafter.	be claimed for
and properly dispose	pet waste bag dispenser		each
of their pet's	in the public area		subsequent
solid waste deposited	qualifies as adequate		year the
at parks or rest areas	signage.		Measurable
owned by the			Goal
permittee.	[발발보통][설계 - 전투통원기 (Particle)		requirements
↑ (Palata) 이 호텔 이번 및 및			remain in effect.
			errace.
The D. T. D.			
Lbmp P I/P - 08	1	\	Į.
Duanida a marata	7 0500	1_, ,	
Provide a monetary	A \$500 contribution in	The donation must	2 points may
donation to a	a year is the minimum	be made in the	be claimed
scholarship fund for	acceptable amount to	year the points	each year this
students pursuing a	achieve this goal.	are claimed.	BMP goal is
d===== :			
degree in an	January Child your		achieved.
environmental program	godz.		achieved.
	}		achieved.

field which can result			
in water pollution control.			
Lbmp P I/P - 09			
		ma Marija da ji	
Distribute stormwater educational materials to the public within this permit area. Alternately, the permittee may provide stormwater educational materials, e.g. brochures, flyers, or pamphlets. These materials may address various stormwater topics. For this alternative these materials may be provided to other nearby municipalities for distribution to the public. The nearby municipalities must be within 30 miles from this permit area.	The educational materials, for each topic, which are distributed or supplied must have a value of at least \$50. Topics may be anything related to stormwater including but not limited to clean-up guidance following flooding, discouraging littering, explaining and discouraging illicit discharges to the storm sewers, guidance on constructed BMPs for home owners (rain gardens, rain barrels, etc.) guidance on area household hazardous waste receiving centers, and guidance on area recycling programs.	For educational materials distributed or provided to nearby municipalities each year points may be claimed when materials are provided with equal or greater value as required for each separate topic.	<pre>l point may be claimed per topic addressed in compliance with the requirements, up to a total of 5 points/topics.</pre>
Lbmp P I/P - 10			
Establish a program to employ (either paid or unpaid) high school or college age environmental interns in an environmental related program including but not limited to either the wastewater utility, stormwater utility, potable water utility or solid waste utility.	The intern must receive the same environmental related training a new full-time employee would receive, within the first six months of the full-time employee's employment, during their internship.	The internship must last at least 8 weeks in the year when points are claimed.	2 points may be claimed each year this BMP goal is achieved per intern.

b. Documentation of compliance with the goal and implementation time - schedule must be maintained on file to claim the associated points. Permittee is responsible for implementing adequate BMPs to comply with the Public Involvement/Participation requirements of this permit and be able to claim at least the required number of points in the calendar years as specified above. Extent of compliance, i.e., equal or exceed the required annual point total or failure to reach the required annual point total, must be reported in the Annual Report.

Kansas Permit No.: M-MO12-SN01
Page 15 of 43

c. The permittee is not limited to implementation of the BMPs listed in the above table. Several other BMPs may be implemented, however, only implementation of the BMPs listed in the table may be documented and counted toward the required annual point total.

3. Illicit Discharge Detection and Elimination

The permittee shall:

- a. Continue to implement and enforce a program to detect and eliminate illicit discharges into the MS4.
- b. Maintain a storm sewer system map of the permittee's MS4, showing the location of all outfalls, either pipes or open channel drainage, showing the names and location of all streams or lakes receiving discharges from those outfalls. A copy of the map shall be submitted to KDHE with the annual report if requested by KDHE. This map may be submitted as a PDF file(s) on a compact disk (CD) or a digital versatile disk (DVD).
- c. Implement and enforce an ordinance, a resolution, or other enforceable requirement, if the permittee has the authority to do so, to prohibit non-stormwater discharges into the storm sewer system and implement appropriate enforcement procedures and actions. A copy of the ordinance or resolution shall be submitted to KDHE with the annual report if requested by KDHE.
- d. Inform public employees, businesses, and the general public of hazards associated with illegal discharges and improper disposal of waste.
- e. Develop and implement a plan to detect/inspect for and address prohibited non-stormwater discharges, including illegal dumping, to the storm sewer system. The plan must include efforts to identify and evaluate dry weather MS4 discharges to detect and eliminate any associated illicit discharge. Unless identified by either the permittee or KDHE as a significant source of pollutants to waters of the state, several types of non-stormwater flow are not normally prohibited from entering the Municipal Separate Storm Sewer System:

Discharges which are not necessarily prohibited include:

- I. Water line flushing
- II. Diverted stream flows
- III. Rising ground waters
- IV. Uncontaminated groundwater infiltration as defined under 40 CFR 35.2005(20) to separate storm sewers
- V. Uncontaminated pumped groundwater
- VI. Contaminated groundwater if authorized by KDHE and approved by the municipality
- VII. Discharges from potable water sources
- VIII. Foundation drains
 - IX. Air conditioning condensation

Kansas Permit No.: M-MO12-SN01

Page 16 of 43

٠.

- X. Irrigation waters
- XI. Springs
- XII. Water from crawl space pumps
- XIII. Footing drains
- XIV. Lawn watering
- XV. Individual residential car washing
- XVI. Occasional not-for-profit car wash activities
- XVII. Flows from riparian habitats and wetlands
- XVIII. Dechlorinated swimming pool discharges excluding filter backwash
 - XIX. Street wash water (excluding street sweepings which have been removed from the street)
 - XX. Discharges or flows from firefighting activities
 - XXI. Heat pump discharge waters (residential only)
- XXII. Treated wastewater meeting requirements of an NPDES permit
- XXIII. Sump pump drains
- XXIV. Other discharges determined not to be a significant source of pollutants to waters of the state, a public health hazard or a nuisance.
- f. The implementation of BMPs for this minimum control measure must result in accumulation of a minimum of 5 points total on an annual basis for calendar years 2021 and 2022. The point total requirement increases to 7 points for each calendar year beginning in 2023. The following table lists various BMPs, measurable goals, and the required timing-period or implementation-schedule to qualify for the points in the year.

In cases where the permittee is already implementing a BMP which qualifies for points, they may continue implementation of the BMP and earn the listed points as allowed for the first year of implementation under this permit as well as subsequent years.

Multiple BMPs involve holding public hearings or public forums; a single public hearing or public forums can be held which addresses multiple topics and points claimed for all of the multiple BMPs implemented.

In addition to implementing an Illicit Discharge Detection and Elimination program as required above, the permittee must implement sufficient listed BMPs in the table below to qualify for the required number of points.

BMP Summary	Measurable Goal	Implementation Time Schedule	Points
Hold a public hearing or public forum to educate the public about illicit discharges and alternate acceptable methods of disposal or reuse of substances and/or materials.	Provide public notice of the hearing/forum, invite local news media (either newspaper, radio or TV), and document the hearing with attendance sign-in sheet and minutes of the hearing which include questions/comments from the attendees and answers/comments from the permittee staff.	Retain copies of the notices to public, invitations to attend, attendance sign-in sheets, and minutes. Hearing must be held in year for which points are claimed.	2 points may be claimed for any year a hearing/forum is held.
Implement a program to abandon failed or failing residential or commercial on-site wastewater treatment facilities. These onsite wastewater treatment systems such as septic tank - lateral systems or lagoon systems are then connected to the municipal wastewater collection system for treatment of wastewater at the municipal wastewater treatment plant. Alternately, upgrade or replace the failed system to restore performance.	Redirect the wastewater generated by the facility to the municipal wastewater treatment collection system for proper treatment and disposal. Alternately, upgrade or replace the failed system with improvements which meet or exceed the present code or local requirements.	For each failed or failing on-site system which is abandoned, and the wastewater is redirected to the municipal wastewater treatment system, the permittee may claim points in the year the system is initially connected into the municipal wastewater treatment system. Alternately, for systems which are upgraded or replaced to restore adequate performance a lower number of points may be claimed in the year the upgrade or replacement is completed.	3 points may be claimed for each abandoned system in the year it is abandoned, alternately for systems which are upgraded or replaced as per the requirements a total of 2 points may be claimed in the year upgrade or replacement is completed.
Develop a spill response plan and, if appropriate, coordinate emergency response with other	The plan shall include, at a minimum, explanation of appropriate spill response activities	The plan may be implemented in any year and points claimed for the initial	3 points may be claimed in the year initially implemented, and 2 points may be claimed

agencies or	for spills associated	implementation or	for each
organizations.	with vehicle	for each year the	successive
	accidents, at grade or	plan remains	year the plan
	above ground storage	effective.	remains
4.4	tanks, and vehicle		effective.
	fluids from mechanical		
	equipment such as		
	construction		
	equipment, cars, or		
	trucks. The written		
	plan shall be	<u>.</u>	
	maintained on file.		
Lbmp I D D & E - 04			1 point may
			1 point may
			be claimed in
Implement a program to	When at least 5% of	The evaluation of a	the year when
evaluate MS4 outfalls	the known MS4 outfalls	group of at least	a total of at
to identify illicit	are inspected and for	5% of the known MS4	least 5% of
discharges. Inspect	which at least one		the known MS4
at least 5% of the		outfalls may be	outfalls are
	outfall was identified	completed all in	finally
known MS4 outfalls	as discharging	one year or may	inspected,
during a calendar year	(entirely or	occur in up to two	and 2
and evaluate the ones	partially) flow from	consecutive years	additional
which have dry weather	an illicit discharge,	and a point can be	
discharges. Evaluate	the allotted points	claimed. The	points may be claimed in
the water quality of	may be claimed in the	larger number of	
the dry weather	year when the illicit	points may be	which the
discharges to	discharge is	claimed only for	illicit
recognize non-	eliminated. Document	the year in which	discharge(s),
stormwater	the MS4 outfalls	the illicit	associated
contributions and	inspected, the	discharge(s),	with this
***************************************			group of
trace the source of	outfalls with dry	associated with	evaluated
any illicit discharge.	weather discharges and	this group of	outfalls
	the MS4 outfalls	evaluated outfalls	is/are
	associated with	is/are eliminated.	eliminated.
	illicit discharges.		CIIMINGECU.
Lbmp I D D & E - 05			
Distribute a letter	The letter (or flier)	The distribution of	
(or flier) and/or e-	and/or e-mail along	these various	
mail along with a	with the press release	documents, letter	
press release from a	shall highlight the	(or flier) and/or	
municipal official	requirements for	e-mail along with	
with the intent of	proper disposal of	the press release,	
reaching every		shall all occur in	
	wastes and disposal		
resident and business	methods. Copies of	the same month.	
in the MS4 permit	these documents shall	Permittee may claim	2 points
area. The distributed	be retained on file	these points in the	
documents shall	along with the	year these	
provide information on	distribution/mailing	documents are	
how to avoid illicit	lists to document	distributed.	
discharges to the MS4,	distribution to the		
i.e., proper disposal	target area (minimum		13.5
methods for common	MS4 permit area) to		
substances or	avoid illicit	4.3	
materials often	discharges to the MS4.		
■ The state of	Provide a link to the		
discharged illicitly.	•		
Provide a link to the	municipal website		↓ By Art 1 in the first of the property o
municipal website	where applicable		

where applicable ordinances and disposal guidance are posted. Lbmp I D D & E - 06	ordinances and disposal guidance are posted.		
Inspect, by televising pipelines or direct visualization of open channel drainage, 2% of the MS4 system within the permit area all conducted within a 12-month period to aid in identifying illicit discharges as well as evaluate the condition of the storm sewer lines/drainage channels-ditches. If in a 12-month period 10% of the MS4 system is inspected a higher point value may be claimed.	Generate a summary report of the inspection including the number of linear feet televised, number of linear feet televised, number of linear feet visually inspected, condition comments, illicit discharges identified and the results of efforts to eliminate illicit discharges, e.g., discharge line disconnected and redirected to the sanitary sewer or discharge practice terminated.	The inspection process can occur in a single calendar year or may be conducted over a period extending from one year into the succeeding year. Points may be claimed in the year when the televised and/or visual inspection of this portion of the MS4 system (either 2% or 10%) is completed.	3 points may be claimed for inspection of 2% of the MS4 system, alternately if 10% of the MS4 system is inspected 5 points may be claimed.
Implement a Household Hazardous Waste Collection Program (HHWCP) or document others have implemented such a program to provide such service to all property owners or residents located within the permit area.	Document the residents and property owners within the MS4 permit area were able to dispose of such wastes at the HHWCP during a calendar year. Retain this documentation on file.	The property owners or residents located within the permit area must be able to dispose of waste accepted by the HHWCP throughout a calendar year. Points may be claimed for any such year.	3 points may be claimed for any year in which this BMP was implemented in compliance with the requirements.
Lbmp I D D & E - 08 Implement a program to increase the reliability of sanitary sewer pump stations above the minimum standard design requirements.	A pump station shall be upgraded to include the following: A dedicated on- site standby generator shall be installed (with automatic transfer switch) for use when main line power fails. A dialer system, or	In the year all improvements, as listed under measurable goals, are installed and ready for operation the points may be initially claimed and in subsequent	5 points may be claimed (for each pump station upgraded in compliance with this BMP) in the first year the improvements, as listed under measurable goals, are installed and ready for operation,

Kansas Permit No.: M-MO12-SN01 Page 20 of 43

telemetry 4 points may system, or be claimed connection to a for (for each SCADA system pump station shall be upgraded in installed to compliance provide real with this time or nearly BMP) each real time successive notification of year the failures at the improvements, pump station as listed which can under potentially measurable lead to goals, remain sanitary sewer operational. overflow. > The permittee shall purchase and maintain for immediate operation a trailer mounted motor driven sewage pump for use when the pump station fails to operate. The motor driven pump shall be sized to pump at a rate at least equal to the firm pumping capacity of any sanitary sewer pump station the permittee claims points for under this BMP. The pump station shall be modified to facilitate the connection of the trailer mounted pump discharge to the force main and convenient installation of the suction line from the trailer mounted

	pump into the wet well.		
Lbmp I D D & E - 09			
	고양물이 많은 이 모든 환경적 회에 올라면		
Provide a contribution	The contributions may	The total value of	
to area recycle	be made to programs	donation (either	
programs or programs	which take tires,	in-kind work,	
(such as household	automotive fluids,	materials, supplies	
hazardous waste	batteries, or other	or cash) in a	
disposal facilities,	wastes for which there	minimum amount of	
e-cycle facilities,	is any documentation	\$500 must be made	
paper shred	such wastes have been	in the year points	
facilities,	discarded as addressed	are claimed.	
pharmaceutical	under the BMP summary.		
disposal facilities	The contributions must	Alternatively, for	
etc.) designed to	total a minimum of	municipalities with	
properly dispose of	\$500 in the year (\$100	less than 500	2 points may
types of waste or	in the year for	population the	be claimed
materials which have	alternative lower	total value of	each year
previously been	population	donation in a	this BMP goal
discarded to or	municipalities) which	minimum amount of	is achieved.
adjacent to either the	points are claimed.	\$100 must be made	
MS4, streams, or lakes	The contributions can	in the year points	
within or adjacent to	be monetary or can be	are claimed.	
the permittee's permit	in the form of goods		
area. The area	and/or services with		
program must be within	an agreed specified		
30 miles from this	value. Contributions		
permit area.	may be made to area	네는 크리스 설치되었다는 전 크리스트	
원동 발문화장이 중요 동주를 하는 것이	household hazardous		
기본 하는 사람들은 그 없는 그들고 말을 했다. 살아 있다.	waste programs,		
이 병사를 통해 했다. 손들이 얼굴 얼굴 물을 받다.	private recycle/reuse	되는 것이 되었다. 그는 사람들은 사람들은 사람들은 것이 되었다. 그런 모든 것이 되었다. 이 사용을 보았다면 하는 것은 물론들이 함께 하는 것은 것이 되었다. 그 것이다.	
	facilities or		
이번 생물을 하는 목표가 있다. 하시고 하시아 독특한 독특했다. 나는데 하는 아들은 아들 교육을 하시다. 나는 사람이 하는데 하늘 물리에 되고 말했다.	civic/volunteer		
그는 병학에 있는 그 그는 일 만화학을 했다.	organizations	[19] 공료 성진 [27] [27] 후 10 - 트린	
	assisting in recycle.		
Lbmp I D D & E - 10			2
	Concepts a summary	The increation	be claimed
Inspect, 5% of the MS4	Generate a summary report of the	The inspection	for
system Stormwater	inspection including	process can occur in a single	inspection of
inlets and/or outfalls	the number of inlets	calendar year or	2% of the MS4
within the permit area	and/or outfalls	may be conducted	system in the
all conducted within a	visually inspected,	over a period	year the
12-month period to aid	condition comments,	extending from one	required
in identifying illicit	illicit discharges	year into the	percentage of
discharges. If in a	identified and the	succeeding year.	inlets and/or
12-month period 15% of	results of efforts to	Points may be	outfalls are
the MS4 system inlets	eliminate illicit	claimed in the year	finally
and/or outfalls are	discharges, e.g.,	when the televised	inspected,
inspected a higher	discharge line	and/or visual	alternately
point value may be	disconnected and	inspection of this	if 15% of the
claimed in the year	redirected to the	portion of the MS4	MS4 system is
the required	sanitary sewer or	system (either 2%	inspected 5
,	I DOMET OF A DEMOT OF	Lolocew (etcher 70	l Tushacrad 2
<u> </u>		or 15%) is	points may be
percentage of inspections are	discharge practice terminated.	or 15%) is completed.	points may be claimed.

Kansas Permit No.: M-MO12-SN01
Page 22 of 43

g. Documentation of compliance with the goal and implementation time - schedule must be maintained on file to claim the associated points. Permittee is responsible for implementing adequate BMPs to comply with the Illicit Discharge Detection and Elimination requirements of this permit and be able to claim at least the required number of points in the calendar years as specified above. Extent of compliance, i.e., equal or exceed the required annual point total or failure to reach the required annual point total, must be reported in the Annual Report.

h. The permittee is not limited to implementation of the BMPs listed in the above table. Several other BMPs may be implemented, however, only implementation of the BMPs listed in the table may be documented and counted toward the required annual point total.

4. Construction Site Stormwater Runoff Control

The permittee shall continue to maintain a program to reduce pollutants in any stormwater runoff to the MS4 from construction activities that result in a land disturbance of greater than or equal to one acre. Reduction of pollutant discharge associated with stormwater from construction activity disturbing less than one acre must be included in the program if that construction activity is part of a larger common plan of development or sale that would disturb one acre or more. The program must include, at a minimum, all the following:

- a. Maintain and enforce an ordinance, a resolution, or other enforceable requirement, if the permittee has the authority to do so, to require erosion and sediment controls, as well as sanctions to ensure compliance, to the extent allowable under State and local law. A copy of the ordinance or resolution shall be submitted to KDHE with the annual report if requested by KDHE.
- b. Maintain requirements for construction site owners or operators to implement appropriate erosion and sediment control best management practices.
- c. Maintain requirements for construction site owners or operators to control waste such as discarded building materials, concrete truck washout, chemicals, litter, and sanitary waste at the construction site that are likely to cause adverse impacts to water quality.
- d. Maintain procedures for site plan review which incorporate consideration of potential water quality impacts.
- e. Maintain procedures for receipt and consideration of information submitted by the public.
- f. Maintain procedures for site inspection and enforcement of control measures.
- g. The implementation of BMPs for this minimum control measure must result in accumulation of a minimum of 4 points total on an annual basis for each calendar year 2021 and 2022. The point total requirement increases to 6 points for each calendar year beginning in 2023. The following table lists various BMPs, measurable goals, and the required timing-period or implementation-schedule to qualify for the points in the year.

In cases where the permittee is already implementing a BMP which qualifies for points, they may continue implementation of the BMP and earn the listed points as allowed for the first year of implementation under this permit as well as subsequent years.

Multiple BMPs involve holding public hearings; a single public hearing can be held which addresses multiple topics and points claimed for all of the multiple BMPs implemented.

In addition to implementing a Construction Site Stormwater Runoff Control program as required above, the permittee must implement sufficient listed BMPs in the table below to qualify for the required number of points.

BMP Summary	Measurable Goal	Implementation Time Schedule etc.	Points
Implement a requirement for a Soil Erosion and Sediment Control(SESC) Plan for any land Disturbance sites which are either equal to or greater than 1 acre or for which there is construction activity disturbing less than one acre which is part of a larger common plan of development or sale that in total disturbs one acre or more. Lbmp C S S R C - 02	Enact a regulatory ordinance, or other enforceable measure that requires an SESC Plan for all developments disturbing sites which are either equal to or greater than 1 acre or for which there is construction activity disturbing less than one acre which is part of a larger common plan of development or sale that in total disturbs one acre or more.	Points may be claimed in the year the ordinance/enforceab le requirement first becomes effective, and for each full calendar year thereafter for which the ordinance/enforceab le requirement remains effective.	3 points may be claimed in the year the ordinance initially becomes effective, and 2 points may be claimed for each successive year thereafter for which the ordinance remains effective.
Develop and adopt a design manual for erosion and sediment control BMPs which are required to be used on sites which will be disturbed and are either equal to or greater than 1 acre or for which there is construction activity disturbing less than one acre which is part of a larger common plan of development or sale that in total disturbs one acre or more.	Require implementation of BMPs in compliance with the design manual on all sites which meet the disturbed area standard as specified in the BMP Summary.	Points may be claimed for the year which the manual is initially adopted and implemented, and a reduced number of points may be claimed for subsequent years in which the manual remains implemented.	3 points may be claimed in the year the manual is initially implemented, and 2 points may be claimed for each successive year the manual remains effective.
Lbmp C S S R C - 03 Provide access to at least one training class for contractors,	This training class must address all local requirements for a	Points may be claimed for the year in which the	3 points

developers or others	SWP2 Plan,	training class is	
involved with land	requirements for	held.	
disturbance projects	implementation of BMPs		
which provides training	and address the		
on requirements for a	requirements for		
Stormwater Pollution	permits.		
Prevention Plan (SWP2	F		
Plan) and implementation			
of appropriate BMPs.			
Lbmp C S S R C - 04			
IEEE CSSRC - 04			
David State of the			
Develop a site plan	Review process must	Points may be	
review process which	have written guidance	claimed in the year	3 points may
considers potential	for the reviewer.	the review process	be claimed in
water quality impacts	Issuance of a building	is initially	the year the
which may occur during	permit or approval to	developed and	review
construction as well as	start construction may	implemented. Also	process is
post construction	not be provided until	points may be	initially
impacts.	the site plan has	claimed in each	developed and
1 -	successfully passed	subsequent year the	implemented,
	the review process	review process	2 points may
	either based on the	continues to be	be claimed
	initial site plan	implemented.	for each
	-	impiemented.	
	submittal or has been		successive
	modified to comply		year the
	with requirements		review
	identified during the		process
	review process.		continues to
	Measures must be	<u>:</u>	be
	included to enforce		implemented.
	the installation of		
	water quality BMPs		
	included in the site		
	plan.		
Lbmp C S S R C - 05			
Establish effective	Enact ordinance or	Points may be	
requirements for	other effective means	claimed in the year	
construction sites to	to achieve control of	of enactment. Also	3 points may
control wastes.	wastes at construction	points may be	be claimed in
Develop through	sites.	claimed in each	the year of
ordinance or other		subsequent year the	enactment,
enforceable means		method of effective	2 points may
requirements for		control of	be claimed
construction site		construction site	for each
Operators or owners to		waste remains in	successive
control wastes. At a		effect.	year the
minimum control shall			method of
be imposed to prevent			effective
entry into the MS4 for			control of
			construction
the following wastes:			site waste
> discarded			remains in
building	The state of the s		effect.
materials			CIIGOL.
> concrete	·		
> Truck washout			[·
> chemicals,			
> litter, and			
· · · · · · · · · · · · · · · · · · ·	• · · · · · · · · · · · · · · · · · · ·	• • • • • • • • • • • • • • • • • • •	

> sanitary waste			
			· · · · · · · · · · · · · · · · · · ·
Lbmp C S S R C - 06 Develop written procedures for inspection of construction sites. Develop a Stormwater Construction Site Inspection Guide for use by municipal inspectors.	The procedures document must address the administrative aspects associated with required inspections of construction sites, the issuance of inspection reports, notices of violations, and enforcement actions. The Inspection Guide must provide inspectors guidance on how to conduct a construction site stormwater inspection, the required procedures, and guidance on acceptable conditions of various BMPs employed on such sites, enforcement actions and/or reference of cases for enforcement by other municipal staff, guidance on photo log of the inspection and inspection checklists for use by the	Development of the written procedures and the Inspection Guide can occur in any year. Initial implementation can allow points to be claimed in that year and continued implementation can allow points to be claimed in subsequent years.	3 points may be claimed in the year of initial development, 2 points may be claimed for each successive year the written procedures and inspection guide continue to be utilized.
Lbmp C S S R C - 07	inspector.		1 point may be claimed
Acquire or develop a software tracking system to track inspections and related tasks:	The tracking system must allow for scheduling inspections and follow-up activities such as reinspections, mailing notices or reports, etc.	A point can be claimed in the initial year the software tracking system is implemented and each year thereafter it is utilized.	for any year the software is initially utilized, and 1 point may be claimed for each successive year the software is utilized.

Kansas Permit No.: M-M012-SN01 Page 26 of 43

h. Documentation of compliance with the goal and implementation time — schedule must be maintained on file to claim the associated points. Permittee is responsible for implementing adequate BMPs to comply with the Construction Site Stormwater Runoff Control requirements of this permit and be able to claim at least the required number of points in the calendar years as specified above. Extent of compliance, i.e., equal or exceed the required annual point total or failure to reach the required annual point total, must be reported in the Annual Report.

i. The permittee is not limited to implementation of the BMPs listed in the above table. Several other BMPs may be implemented, however, only implementation of the BMPs listed in the table may be documented and counted toward the required annual point total.

5. <u>Post-Construction Stormwater Management in New Development and Redevelopment Projects</u>

The permittee shall continue to maintain a program to address post-construction stormwater runoff from new development and redevelopment projects that disturb greater than or equal to one acre, including projects less than one acre that are part of a larger common plan of development or sale, that discharge into the MS4. The program must include, at a minimum, all the following:

- a. Maintain a requirement for BMPs to prevent or minimize adverse water quality impacts.
- b. Maintain strategies which include a combination of structural and/or nonstructural BMPs appropriate for the municipality.
- c. Maintain and enforce an ordinance or resolution, if the permittee has the authority to do so, to address post-construction runoff from new development and redevelopment projects to the extent allowable under State and local law.
- d. Ensure adequate long-term operation and maintenance of structural BMPs.
- e. The implementation of BMPs for this minimum control measure must result in accumulation of a minimum of 5 points total on an annual basis for each calendar year 2021 and 2022. The point total requirement increases to 7 points for each calendar year beginning in 2023. The following table lists various BMPs, measurable goals, and the required timing-period or implementation-schedule to qualify for the points in the year.

In cases where the permittee is already implementing a BMP which qualifies for points, they may continue implementation of the BMP and earn the listed points as allowed for the first year of implementation under this permit as well as subsequent years.

Multiple BMPs involve holding public hearings; a single public hearing can be held which addresses multiple topics and points claimed for all of the multiple BMPs implemented.

In addition to implementing a Post-Construction Stormwater Management in New Development and Redevelopment Projects program as required above, the permittee must implement sufficient listed BMPs in the table below to qualify for the required number of points.

BMP Summary	Measurable Goal	Implementation Time Schedule etc.	Points
Lbmp P-C S M - 01			
경기도 이번 경기도 그는 말이다.			
Dovolos and adout a			
Develop and adopt a custom design manual	The custom design manual shall impose	Development of the design manual can	
for Post-Construction	requirements to	occur in any year.	4 points may
Stormwater Management	achieve at least one	Initial	be claimed in
which specifies	of the following	implementation can	the year of
various structural	standards:	allow points to be	initial
BMPs which are		claimed in that	implementation
required for new	> Capture, at	year and continued	of a custom
development and re-	least, the first	implementation can	design manual
development construction sites	0.5 inches of	allow points to be	- alternately
which are greater than	precipitation on the	claimed in	6 points may
1 acre or for which	development/re-	subsequent years.	be claimed in
there is construction	development site		the year of initial
activity disturbing	and utilize		implementation
less than one acre	methods to		of the APWA
which is part of a	prevent		5600
larger common plan of	discharge off-	[일다	stormwater
development or sale	site, including		design
that in total disturbs	but not limited		criteria and
one acre or more.			the MARC/APWA
Alternately, adopt and	• retain on-	[발 도 출생님들 B 15명 개발]	BMP Manual,
implement the APWA	site • infiltrate	나도, 이 말까요 안 이용됐다	3 points may
5600 Stormwater Design	• evaporate		be claimed for
Criteria and the	• transpire		each successive
MARC/APWA BMP Manual.	or] (1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	year
	• beneficial		compliance
(1984년) - 다 전 시호(1942년) 전환 - 1985년 (1942년) 150 - 150 - 150 - 150 - 150 - 150 - 150 - 150 - 150 - 150 - 150 - 150 - 150 - 150 - 150 - 150 - 150 - 150 - 15	ly reuse		with the
			custom design
근데, 나를 취했다. 그리 함께 보여지 않는	> Through		manual is
	implementation		required/imple
	of appropriate BMP(s) reduce		-mented
	the peak		Alternately 5
	stormwater flow		points may be claimed in
	rate to a value		each
	equal to or less		successive
	than the rate] 그런 그는 그래 그래 하는 것이 함께 있다. 기가 되는 것이 그래가 그렇게 된 무슨 것이 있다. 1980년 중	year the
	which would be		implementation
고요한 그는 일본 개호를 하고 말을 하셨다.	experienced on	세 이 시간 등 기계 기계 기계 있는 그런 당시 기계	of the APWA
고리학생하다 중요한 사람들은 함께 없었다.	the site prior		5600
나 하다 연락과 회에는 나로 없는 것	to the		stormwater
	development/re- development		design
	project based	[[[[[[[[[[[[[[[[[[[[[criteria and the MARC/APWA
	upon modeling a		BMP Manual is
	standard storm		required/imple
	event, e.g. 1.0		-mented.
	inch - 6-hour		
	event assuming		
	saturated soil		
	conditions.		

	> Other sizing or detention standards generally accepted by design engineers as adequate for the permittee's local.		
	As an alternative to a custom design manual the APWA 5600 Stormwater Design Criteria and the MARC/APWA BMP Manual may be adopted and implemented. Measures must be included to enforce the installation of the various structural		
Develop a list of post-construction structural or non-structural BMPs which are required to be incorporated in any development/re-development project. The list must include guidance regarding the BMPs which must be incorporated in various projects as determined appropriate by the permittee. The list is to be provided to entities involved with the design of projects prior to site plan review by the permittee.	Development and implementation of the list and guidance is necessary to claim points in the first year. The list of required BMPs must be enforceable through ordinance or other means.	Development of the list and guidance can occur in any year. Initial implementation can allow points to be claimed in that year and continued implementation can allow points to be claimed in subsequent years.	3 points may be claimed in the year of initial implementation , 2 points may be claimed for each successive year the list is maintained and implemented.
Lbmp P-C S M - 03 Develop and implement a program to ensure adequate	The program shall be detailed in a written document and made available to all	Development of the program can occur in any year. Initial	3 points may be claimed in the year of initial implementation

long-term cleaning,	pertinent maintenance	implementation can	2 points may
operation and	staff.	allow points to be	be claimed for
maintenance of all		claimed in that	each
municipally owned or		year and continued	successive
operated post-		implementation can	year the
construction		allow points to be	program is
structural stormwater		claimed in	maintained and
BMP facilities. The	물을 잃는데 모든 왜 그리고 말하게 하였다.	subsequent years.	utilized.
program shall address		마는 그 기가 한 때 하는 사람	
several different types of these BMP	물었다. 그모나는 걸어났는[생]이모다		
systems. The systems,			
which are addressed,	회사는 이번 보고 없는 보면 보다 이		
shall include any type			
of post-construction		[기타 시 : 1] 기타 출시 : :	
structural BMP system,			
contained in the MS4.			
These shall include,			overene netre e proper servició. Por los portes e describer e en el como el c
if so present, at a			
minimum the following:		[[연호등급통화금 []] 스테이터	
> detention ponds		[1925 관점 작품 11 : 1 # 11] [
> retention ponds			
> grass swales			
> pervious paving			
systems			
> wetlands			
> vegetative	[12] 전 12 : 12 : 12 : 12 : 12 : 12 : 12 : 12		Market Statement School School Statement School School Statement School School Statement School School Statement School Schoo
filter strips			
> manufactured		[10] 10 [12] 12 12 12 12 12 12 12 12	
stormwater		[보고: 시스 중요] 그런 스 #속 시설 ^#1 [보고 기술시설 및 시설 4일 사진시 #1	
treatment			
devices (swirl		[기대 : 명화화 : 5 전기 : : 10 기기	
separators,			
screens, etc.)			
> drop inlet-catch			
basin			
] 등 기계 등 기		
Lbmp P-C S M - 04			
Develop a master plan	Runoff problems can be	After <u>all</u> aspects	
or comprehensive	addressed efficiently	are implemented	5 points
development plan which	with sound planning	including final	5 points may be claimed in
establishes zoning and	procedures. This	implementation of	the year all
development standards	master or	the master or	_
with establishment of	,	Lerie Master OL	aspects are
	comprehensive	Comprehensive	4 m 4 m 4 m 1 1 m
both structural and	comprehensive	comprehensive	initially
both structural and non-structural BMPs	development plan must	development plan,	implemented,
	development plan must include, if not	development plan, along with	implemented, 2 points may
non-structural BMPs	development plan must include, if not already implemented, a	development plan, along with enactment of the	implemented, 2 points may be claimed for
non-structural BMPs intended to avoid or minimize adverse water	development plan must include, if not already implemented, a zoning ordinance, a	development plan, along with enactment of the required	implemented, 2 points may be claimed for each
non-structural BMPs intended to avoid or	development plan must include, if not already implemented, a zoning ordinance, a stream buffer	development plan, along with enactment of the required ordinances points	implemented, 2 points may be claimed for each successive
non-structural BMPs intended to avoid or minimize adverse water quality impacts post-	development plan must include, if not already implemented, a zoning ordinance, a stream buffer ordinance, site plan	development plan, along with enactment of the required ordinances points for implementation	implemented, 2 points may be claimed for each successive year all
non-structural BMPs intended to avoid or minimize adverse water quality impacts post-	development plan must include, if not already implemented, a zoning ordinance, a stream buffer ordinance, site plan development	development plan, along with enactment of the required ordinances points for implementation of this BMP can	implemented, 2 points may be claimed for each successive year all aspects
non-structural BMPs intended to avoid or minimize adverse water quality impacts post-	development plan must include, if not already implemented, a zoning ordinance, a stream buffer ordinance, site plan development requirements which	development plan, along with enactment of the required ordinances points for implementation of this BMP can initially be	implemented, 2 points may be claimed for each successive year all aspects continue to be
non-structural BMPs intended to avoid or minimize adverse water quality impacts post-	development plan must include, if not already implemented, a zoning ordinance, a stream buffer ordinance, site plan development requirements which include minimizing the	development plan, along with enactment of the required ordinances points for implementation of this BMP can	implemented, 2 points may be claimed for each successive year all aspects
non-structural BMPs intended to avoid or minimize adverse water quality impacts post-	development plan must include, if not already implemented, a zoning ordinance, a stream buffer ordinance, site plan development requirements which include minimizing the increase of impervious	development plan, along with enactment of the required ordinances points for implementation of this BMP can initially be	implemented, 2 points may be claimed for each successive year all aspects continue to be
non-structural BMPs intended to avoid or minimize adverse water quality impacts post-	development plan must include, if not already implemented, a zoning ordinance, a stream buffer ordinance, site plan development requirements which include minimizing the	development plan, along with enactment of the required ordinances points for implementation of this BMP can initially be	implemented, 2 points may be claimed for each successive year all aspects continue to be

			149e 30 01 43
	The plan must also		<u> </u>
	impose requirements	İ	
	for new development or		
	re-development		
}	projects to utilize		
	stormwater retention	ļ	
	or detention BMPs and		
	vegetative BMPs (such		
	as grassy swales,		
	filter strips,		
	artificial wetlands,		
	and rain gardens).		
1			
Lbmp P-C S M - 05		<u>_</u>	
Develop and implement	The program shall	The program shall	
a program for	require inspection of	be developed and	
inspection of	at least 10% of the	implemented within	
permittee owned	structural BMPs on an	a single year.	
structural BMPs which	annual basis.		
includes			
implementation of	Identified maintenance		3 nointa
needed maintenance to	activities shall be		3 points may
ensure long-term			be claimed in
operation of the BMPs	completed:		the year the
operation of the bmps	1. in the same year		program is
	of inspection or		initially
	2. completed as		developed and
	dictated by the		implemented,
	permittee's		2 points may
	maintenance/O&M		be claimed for
	plan		each
	or a written		successive
	plan for		year the
	completion of		program
	the necessary		continues to
	maintenance -		be
	shall be		implemented.
	completed in the		impromoneed.
	same year of		
The second secon	inspection with		
	the objective	and the second of the second o	
			A SHE SHEET SHEET
	for completion		
	of the		
	maintenance		
	activity within		
	18 months.		
Lbmp P-C S M - 06			3 points may
			be claimed in
			the year the
Develop and implement	The program shall	The program shall	program is
a program for	require inspection of	be developed and	initially
inspection of known	at least 10% of the	implemented within	developed and
privately owned	known privately owned	a single year.	implemented,
structural BMPs which	structural BMPs on an		2 points may
includes providing the	annual basis.		be claimed for
owner of the BMPs an			each
inspection report	Identified maintenance		successive
which specifies needed	activities shall be		
	COCTATOTOS SUGIT DE	l	year the

maintenance to ensure long-term operation of	completed in the same year of inspection or		program continues to
the BMPs.	a written plan for completion of the necessary maintenance shall be completed in the same year of inspection with the objective for completion of the maintenance activity within 18 months.		be implemented.
Lbmp P-C S M - 07			3 points may
Enact either an ordinance, a resolution, or other enforceable requirement which requires the installation of pervious surfaces on property. Lbmp P-C S M - 08	The ordinance or resolution or other enforceable requirement must specify when installation of impervious surfaces is not acceptable and what allowable pervious surfaces can be installed in lieu of impervious surfaces.	The year the ordinance or resolution or other enforceable requirement is implemented points may be claimed and continued implementation can allow points to be claimed in subsequent years.	be claimed in the year of initial implementation 2 points may be claimed for each successive year the ordinance or resolution or other enforceable requirement is implemented.
Implement a program to encourage residential owners to install stormwater BMPs, including but not limited to, native trees, native flower gardens, rain gardens, rain barrels, pervious surfaces, and vegetated swales.	A program which results in installation of such BMPs on 1% of the residential parcels in a year will allow two points to be claimed for that year. In a year when installation of such BMPs on 5% of the residential parcels occurs, a larger number of points may be claimed.	The number of residential parcels improved to qualify for points must occur in a single calendar year.	2 points may be claimed in a year BMPs are installed on 1% of the residential parcels, 4 points may be claimed in a year BMPs are installed on 5% of the residential parcels.

f. Documentation of compliance with the goal and implementation time - schedule must be maintained on file to claim the associated points. Permittee is responsible for implementing adequate BMPs to comply with the Post-Construction Stormwater management in New Development and Redevelopment Projects requirements of this permit and be able to claim at least the required number of points in the calendar years as specified above. Extent of compliance, i.e., equal or exceed the required annual point total or failure to reach the required annual point total, must be reported in the Annual Report. g. The permittee is not limited to implementation of the BMPs listed in the above table. Several other BMPs may be implemented, however, only implementation of the BMPs listed in the table may be documented and counted toward the required annual point total.

6. Pollution Prevention/Good Housekeeping for Municipal Operations

The permittee shall continue to implement an operation and maintenance program that includes employee training to prevent and reduce stormwater pollution from municipal operations activities such as park and open space maintenance, fleet and building maintenance, new construction and land disturbances, and stormwater system maintenance.

a. The implementation of BMPs for this minimum control measure must result in accumulation of a minimum of 4 points total on an annual basis for each calendar year 2021 and 2022. The point total requirement increases to 6 points for each calendar year beginning in 2023. The following table lists various BMPs, measurable goals, and the required timing-period or implementation-schedule to qualify for the points in the year.

In cases where the permittee is already implementing a BMP which qualifies for points, they may continue implementation of the BMP and earn the listed points as allowed for the first year of implementation under this permit as well as subsequent years.

Multiple BMPs involve holding public hearings; a single public hearing can be held which addresses multiple topics and points claimed for all of the multiple BMPs implemented.

In addition to implementing a Pollution Prevention/Good Housekeeping for Municipal Operations program as required above, the permittee must implement sufficient listed BMPs in the table below to qualify for the required number of points.

BMP Summary	Measurable Goal	Implementation Time Schedule etc.	Points
EMP Summary Lbmp P P/G H - 01 Install a screening device or method at a single municipal storm sewer outfall or on the storm sewer line immediately upstream of the outfall to reduce the discharge of floatables or other objects to receiving waters.	The screening device or method is required to remove objects that exceed at least 1½ inches in size. The device or method must be capable of continuous operation during stormwater discharges. An emergency bypass or overflow line can be	Implementation Time Schedule etc. Volume or weight of the material shall be documented for either each discharge event or on a quarterly basis.	3 points may be claimed in the year the screening device or method is initially implemented, 2 points may be claimed for each successive year the screening device or
	included to avoid surcharging/flooding in the event the		method continues to be
	screening device or method fails to		implemented.

		The state of the s	
	operate properly at		
[하수는 유리한 10 10 10 10 10 10 10 10 10 10 10 10 10	any time.		
[[[[[[[[[[[[[[[[[[[A log of the material	요 하다 사람 불특별하게 모임을 보다	
	captured and prevented		
	from discharge to the		
	receiving water shall	[[[하다]] [[[[[[]] [[] [[] [[] [[] [[] [[] [[]	
	be maintained.		
Lbmp P P/G H - 02			3 points may
			be claimed in
			the year
Implement a recycle	A log of the materials	Recycle containers	recycle
	directed to recycle	shall be available	containers are
and proper waste	shall be maintained.	for staff use all	made available
disposal program for			for municipal
municipal staff to	Entries in the log	days of the year in	staff use and
reduce potential for	shall record either	which points are	
litter, to recycle	weight or volume of	claimed.	the recycle
waste oil, batteries,	recycle materials		program is
glass containers,	removed from the		initially
plastic containers,	containers and		implemented,
and paper products.	transported to the		2 points may
	recycle facility as		be claimed for
	well as the date of		each
	transport.		successive
		Ì	year the
			recycle
			program
			continues to
			be
			implemented.
Lbmp P P/G H - 03			2 points may
			be claimed in
		[하다 아니 왕대학원 경상 살인 경찰	the year the
Develop a guidance	Require staff which	The guidance	guidance
document for municipal		document must be	document is
staff or third-party	use such pesticides in	finalized and	finalized and
contractors which	compliance with the	implemented in the	implemented,
apply pesticides. The	반발 사람들이 반짝을 받는데 하나 아픈 전문을 받는데 한 점을 만든다고 하는데 하다 하다.	year which points	1 point may be
guidance shall require	○ 劉 松東の こうしょうしゅう とうしょう しょうしょうけいけいしょう しょうりょう 行った	are initially	claimed for
any municipal staff,	must require use of	claimed.	each
who apply restricted	pesticides in		successive
use pesticides, to	compliance with the		year the
have a commercial	label instructions.		guidance
applicator	Transfer anisot accions.	기가 보고 하는 경기 교육을 보고 있다. 그리고 하는 것이 되었다. 기가 보는 보고 있는 경기를 받았다. 보고 기가 되었다.	document
certification from the	회사사용화 보는 사람들을 찾아 주었다.	나는 많은 역시 시청중절을 즐기고 있다.	continues to
Kansas Department of			be
Agriculture if			implemented.
required by that			
Department.			
Lbmp P P/G H - 04		ļ	2 points may
	1		be claimed in
	1	l	the year the
Implement a program,	Maintain proper wash	The guidance	guidance
with guidance to	facilities for	document must be	document is
municipal staff or	municipal staff to	finalized and	finalized and
third-party	wash vehicles and/or	implemented in the	implemented,
contractors, to ensure	equipment or implement	year which points	1 point may be
any municipal vehicle	a program which	are initially	claimed for
or other mechanical	includes guidance to	claimed.	each
equipment washing is	municipal staff to		successive
LAGUIDMANE WASSING IS	municipal staff to	I	i successive

conducted in a manner	take vehicles and/or		year the
which ensures the wash	equipment to		guidance
water is disposed of	commercial wash		document
in the sanitary sewer	facilities, either of		continues to
or otherwise receives	which ensures the wash		be
proper treatment prior	water is conveyed to		implemented.
to discharge to the	the sanitary sewer, or		
environment.	otherwise receives		
	proper treatment prior		
	to discharge to the	•	
/	environment, and not		
	discharged untreated		
	to the MS4 or directly		
	to the environment.		
Lbmp P P/G H - 05			
Implement a program	All paved streets	At least 10% of the	3 points may
for street sweeping in	which can be swept	streets which are	be claimed in
which the street	shall be listed in the	listed in the street	the year at
sweepings are	schedule for street	sweeping schedule	least 10% of
collected and disposed	sweeping. A log shall	must be swept at	the listed
of properly or	be maintained listing	least once in a year	streets are
recycled/reused if	the street segments	to claim points for	swept and
possible.	which are swept and,	the year.	street
	dates of sweeping and		sweeping
	where the street	In years when street	equipment is
	sweepings are disposed	sweeping equipment	purchased,
	or where the material	is purchased for use	2 points may
	was sent to be	by the permittee	be claimed for
	recycled and/or	additional points	each year at
	reused.	may be claimed.	least 10% of
			the listed
	Alternatively, for	Alternately, for	streets are
	municipalities with	municipalities with	swept or
[일 하다] 그리고 모르고 생각하다.	less than 500	less than 500	alternately for
	population street	population at least	
	sweeping can be	5% of the street	municipalities
	limited to sweeping	gutters which can be	with less than
	the gutters. The log	swept must be swept	500 population
	which must be	in a year to claim	if at least 5%
	maintained need only	points for the year.	of the street
	indicate the street		gutters which can be swept
[세계 선생기 함께 기계	segments which were		are swept in a
	swept in the year and		
[연락하는 기업 등 기업을 가입니다.]	confirm the sweepings		year 2 points
	were properly disposed		may be claimed.
	or recycled and/or		CTAIMEG.
	reused		
	· · · · · · · · · · · · · · · · · · ·		
Lbmp P P/G H - 06			In years when
			guidance
B	1,		documents or
Develop an employee	Provide guidance	For each year in	training (in-
training program to	documents in the form	which staff receive	person or
ensure permittee's	of fact sheets, flyers	guidance documents	video) are
staff understand what	or e-mails to staff to	on two separate	provided on
actions they can take	coach them in	dates points may be	two separate
in the workplace to	appropriate actions	claimed for the	dates 1 point
	they can take while	year.	Laces I point

minimize stormwater working to minimize may be stormwater pollution. Alternately, provide	
	٠ ا
Alternately, provide	
Alternately, provide	
in-person training or	
videos with sign-in-	
sheets for signature	
documentation of	
personal or video	
training.	
Retain copies of the	
guidance documents	
and/or sign-in-sheets.	
A log of when the	
guidance was	
distributed, or	
training was provided	
to staff should be	
maintained.	
Provide appropriate	
guidance and/or	
training to staff a	
minimum of twice per	
year.	
Lbino P P/G H - 07	
[발발가이스] 전략적으로 있는 전략적으로 1982년 전투로 보고 보는 하다 하는 모모 되고 그 모모 경찰을 하고, 모임 그릇한 경소를 하는 것을 하는 것을 다.	
[마늘 다른 사람들이 되었다면 하다 하다 하고 있다면 하는데	. 11
Implement a program to Inspect at least 5% of For each year in	
inspect stormwater all inlets annually. which staff inspect In years	when
inlets to identify at least 5% of all staff ins	
illicit discharges and Additionally, if 10% stormwater inlets at at least 5	
clean drop inlets of of all inlets are least one point may all storm	
accumulated debris. inspected in a year an be claimed. inlets a	
[2012년 1] 이 대통령 등급이 반영하다는 역 대통령에 생각하면 유로관한 유로관한 문화 전투를 하시고 한다면 이번 교육이 하지만 대통령에 대한 대학교 등 사람이 되었다. 하나 기계를 모르는 그 그	
네트로 하는 그는 그는 사람들은 아니는 사람들이 가지도 하는 사람들이 없는 사람들이 집에 되었다. 그는 사람들이 나는 사람들이 가지 않는 사람들이 가장 함께 되었다. 그는 사람들이 함께 하는 것은 사람들이 되었다. 그는 사람들이 되었다. 그는 사람들이 되었다면 하는 사람들이 되었다면 하	and the second
[10] 이 보다는 사용하다 보다는 사용자는 위로 12가 보다 모양하는 사용하는 하는 보다 보다는 사용하다. 그는 사용하는 사용하는 사용자를 다른 것을 다른 것을 받는다.	_ 74
debris 1 r	
For any inlets which may be	
have evidence of claimed	to the second
dumped paint, oil or In years	when
other substances which staff ins	pect
are considered illicit	10%
discharges follow up of all	
with efforts to stormwat	4.4
educate individuals inlets a	* T T + 1 1 1
near the impacted remove	
inlet about illicit accumula	
discharges.	100
[HERNORF PROMOTED HER HER HER NEW HERNORF HER	
For inlets which have	
any accumulation of	
debris, remove the	baarii A
debris for proper	
debris for proper disposal.	
The D. D./C. H. OO.	<u> </u>
5 points	
be claimed	
Develop implement and Man shall severally a	st
Develop, implement and Map shall cover the For each year in year,	
keep updated an online entire MS4 within the which the map is 2 points	
storm sewer map permit area and posted online points be claimed	
include all the MS4 may be claimed. In each year	

accessible to the	lines both nine and	Aba Einek	[1
public.	lines both pipe and open drainage (i.e.	the first year the	thereafter for
public.	ditches) and shall	map is posted it	which the map
1		must be posted for	remains
	also illustrate all	at least six months	posted.
	impaired waterways	for points to be	
	(i.e. 303(d) listed	claimed.	
	and TMDL listed		
	streams/rivers) with		
	an indication of the		
	listed impairment.		
Lbmp P P/G H - 09			1 point may be
			claimed in the
			first year for
Identify permittee	Retrofit projects can	The site(s) must be	each site
owned facilities, open	include: green	retrofitted with	retrofitted
space and buildings	infrastructure,	stormwater BMPs as	(up to two
that can be	catchment	listed in the	sites/points
retrofitted for	improvements,	measurable goals.	maximum,
stormwater BMPs.	Pollutant of Concern	Points can be	2 points may
	targeted BMPs, and	awarded in the first	be claimed for
	native plant	year the BMPs are	each year at
	restoration projects.	installed and begin	least two
		operation and points	sites continue
		may be claimed for	to operate all
		each year the retrofitted BMPs	of the
		continue to be	retrofitted BMPs which
		operated.	were
		operaced.	installed.
			Installed.
71- D D/G :: 10			
1 LOND P P/G H - 10			1
Lbmp P P/G H - 10			2 points may
_ LDmp Р Р/G H − 10			be claimed for
	The wetland shall	Points may be	
Install and operate a	The wetland shall	Points may be	be claimed for the year in which the
Install and operate a constructed wetland at	include a water	claimed in the year	be claimed for the year in which the wetland is
Install and operate a constructed wetland at a municipal facility	include a water surface area of at	claimed in the year the wetland is	be claimed for the year in which the wetland is constructed,
Install and operate a constructed wetland at a municipal facility such as at a parking	include a water surface area of at least 1/4 acre or	claimed in the year the wetland is constructed and in	be claimed for the year in which the wetland is constructed, 1 point may be
Install and operate a constructed wetland at a municipal facility such as at a parking lot, shop, maintenance	include a water surface area of at least 1/4 acre or equivalent submerged	claimed in the year the wetland is constructed and in subsequent years the	be claimed for the year in which the wetland is constructed, l point may be claimed for
Install and operate a constructed wetland at a municipal facility such as at a parking lot, shop, maintenance facility, rest area or	include a water surface area of at least 1/4 acre or equivalent submerged surface area for	claimed in the year the wetland is constructed and in subsequent years the wetland remains in	be claimed for the year in which the wetland is constructed, l point may be claimed for each
Install and operate a constructed wetland at a municipal facility such as at a parking lot, shop, maintenance	include a water surface area of at least 1/4 acre or equivalent submerged	claimed in the year the wetland is constructed and in subsequent years the	be claimed for the year in which the wetland is constructed, 1 point may be claimed for each subsequent
Install and operate a constructed wetland at a municipal facility such as at a parking lot, shop, maintenance facility, rest area or any other industrial/commercial	include a water surface area of at least 1/4 acre or equivalent submerged surface area for	claimed in the year the wetland is constructed and in subsequent years the wetland remains in	be claimed for the year in which the wetland is constructed, l point may be claimed for each subsequent year the
Install and operate a constructed wetland at a municipal facility such as at a parking lot, shop, maintenance facility, rest area or any other	include a water surface area of at least 1/4 acre or equivalent submerged surface area for	claimed in the year the wetland is constructed and in subsequent years the wetland remains in	be claimed for the year in which the wetland is constructed, l point may be claimed for each subsequent year the wetland
Install and operate a constructed wetland at a municipal facility such as at a parking lot, shop, maintenance facility, rest area or any other industrial/commercial type facility, e.g.	include a water surface area of at least 1/4 acre or equivalent submerged surface area for	claimed in the year the wetland is constructed and in subsequent years the wetland remains in	be claimed for the year in which the wetland is constructed, l point may be claimed for each subsequent year the wetland remains in
Install and operate a constructed wetland at a municipal facility such as at a parking lot, shop, maintenance facility, rest area or any other industrial/commercial type facility, e.g. recycling facility,	include a water surface area of at least 1/4 acre or equivalent submerged surface area for	claimed in the year the wetland is constructed and in subsequent years the wetland remains in	be claimed for the year in which the wetland is constructed, l point may be claimed for each subsequent year the wetland
Install and operate a constructed wetland at a municipal facility such as at a parking lot, shop, maintenance facility, rest area or any other industrial/commercial type facility, e.g. recycling facility, transfer station,	include a water surface area of at least 1/4 acre or equivalent submerged surface area for	claimed in the year the wetland is constructed and in subsequent years the wetland remains in	be claimed for the year in which the wetland is constructed, l point may be claimed for each subsequent year the wetland remains in
Install and operate a constructed wetland at a municipal facility such as at a parking lot, shop, maintenance facility, rest area or any other industrial/commercial type facility, e.g. recycling facility, transfer station, kennel, or airport.	include a water surface area of at least 1/4 acre or equivalent submerged surface area for	claimed in the year the wetland is constructed and in subsequent years the wetland remains in	be claimed for the year in which the wetland is constructed, I point may be claimed for each subsequent year the wetland remains in operation. 3 points may be claimed for
Install and operate a constructed wetland at a municipal facility such as at a parking lot, shop, maintenance facility, rest area or any other industrial/commercial type facility, e.g. recycling facility, transfer station, kennel, or airport. Lbmp P P/G H - 11	include a water surface area of at least 1/4 acre or equivalent submerged surface area for	claimed in the year the wetland is constructed and in subsequent years the wetland remains in operation.	be claimed for the year in which the wetland is constructed, I point may be claimed for each subsequent year the wetland remains in operation. 3 points may be claimed for the year in
Install and operate a constructed wetland at a municipal facility such as at a parking lot, shop, maintenance facility, rest area or any other industrial/commercial type facility, e.g. recycling facility, transfer station, kennel, or airport. Lbmp P P/G H - 11 Install a canopy or	include a water surface area of at least 1/4 acre or equivalent submerged surface area for submerged wetlands. The canopy or covered	claimed in the year the wetland is constructed and in subsequent years the wetland remains in operation.	be claimed for the year in which the wetland is constructed, I point may be claimed for each subsequent year the wetland remains in operation. 3 points may be claimed for the year in which the
Install and operate a constructed wetland at a municipal facility such as at a parking lot, shop, maintenance facility, rest area or any other industrial/commercial type facility, e.g. recycling facility, transfer station, kennel, or airport. Lbmp P P/G H - 11 Install a canopy or other covered area for	include a water surface area of at least 1/4 acre or equivalent submerged surface area for submerged wetlands. The canopy or covered area shall be large	claimed in the year the wetland is constructed and in subsequent years the wetland remains in operation. Points may be claimed in the	be claimed for the year in which the wetland is constructed, l point may be claimed for each subsequent year the wetland remains in operation. 3 points may be claimed for the year in which the canopy/covered
Install and operate a constructed wetland at a municipal facility such as at a parking lot, shop, maintenance facility, rest area or any other industrial/commercial type facility, e.g. recycling facility, transfer station, kennel, or airport. Lbmp P P/G H - 11 Install a canopy or other covered area for load-out of salt or	include a water surface area of at least 1/4 acre or equivalent submerged surface area for submerged wetlands. The canopy or covered area shall be large enough to allow normal	claimed in the year the wetland is constructed and in subsequent years the wetland remains in operation. Points may be claimed in the initial year of	be claimed for the year in which the wetland is constructed, l point may be claimed for each subsequent year the wetland remains in operation. 3 points may be claimed for the year in which the canopy/covered area is
Install and operate a constructed wetland at a municipal facility such as at a parking lot, shop, maintenance facility, rest area or any other industrial/commercial type facility, e.g. recycling facility, transfer station, kennel, or airport. Lbmp P P/G H - 11 Install a canopy or other covered area for load-out of salt or other de-icing	include a water surface area of at least 1/4 acre or equivalent submerged surface area for submerged wetlands. The canopy or covered area shall be large enough to allow normal load-out and cleanup	claimed in the year the wetland is constructed and in subsequent years the wetland remains in operation. Points may be claimed in the initial year of construction and in	be claimed for the year in which the wetland is constructed, l point may be claimed for each subsequent year the wetland remains in operation. 3 points may be claimed for the year in which the canopy/covered area is constructed,
Install and operate a constructed wetland at a municipal facility such as at a parking lot, shop, maintenance facility, rest area or any other industrial/commercial type facility, e.g. recycling facility, transfer station, kennel, or airport. Lbmp P P/G H - 11 Install a canopy or other covered area for load-out of salt or other de-icing chemicals where such	include a water surface area of at least 1/4 acre or equivalent submerged surface area for submerged wetlands. The canopy or covered area shall be large enough to allow normal load-out and cleanup of spilled de-icing	claimed in the year the wetland is constructed and in subsequent years the wetland remains in operation. Points may be claimed in the initial year of construction and in subsequent years the	be claimed for the year in which the wetland is constructed, l point may be claimed for each subsequent year the wetland remains in operation. 3 points may be claimed for the year in which the canopy/covered area is constructed, 2 points may
Install and operate a constructed wetland at a municipal facility such as at a parking lot, shop, maintenance facility, rest area or any other industrial/commercial type facility, e.g. recycling facility, transfer station, kennel, or airport. Lbmp P P/G H - 11 Install a canopy or other covered area for load-out of salt or other de-icing chemicals where such de-icing materials are	include a water surface area of at least 1/4 acre or equivalent submerged surface area for submerged wetlands. The canopy or covered area shall be large enough to allow normal load-out and cleanup of spilled de-icing materials, without	claimed in the year the wetland is constructed and in subsequent years the wetland remains in operation. Points may be claimed in the initial year of construction and in subsequent years the canopy/covered area	be claimed for the year in which the wetland is constructed, l point may be claimed for each subsequent year the wetland remains in operation. 3 points may be claimed for the year in which the canopy/covered area is constructed, 2 points may be claimed for
Install and operate a constructed wetland at a municipal facility such as at a parking lot, shop, maintenance facility, rest area or any other industrial/commercial type facility, e.g. recycling facility, transfer station, kennel, or airport. Lbmp P P/G H - 11 Install a canopy or other covered area for load-out of salt or other de-icing chemicals where such de-icing materials are stored either within	include a water surface area of at least 1/4 acre or equivalent submerged surface area for submerged wetlands. The canopy or covered area shall be large enough to allow normal load-out and cleanup of spilled de-icing materials, without mixing with	claimed in the year the wetland is constructed and in subsequent years the wetland remains in operation. Points may be claimed in the initial year of construction and in subsequent years the canopy/covered area remains in	be claimed for the year in which the wetland is constructed, I point may be claimed for each subsequent year the wetland remains in operation. 3 points may be claimed for the year in which the canopy/covered area is constructed, 2 points may be claimed for each
Install and operate a constructed wetland at a municipal facility such as at a parking lot, shop, maintenance facility, rest area or any other industrial/commercial type facility, e.g. recycling facility, transfer station, kennel, or airport. Lbmp P P/G H - 11 Install a canopy or other covered area for load-out of salt or other de-icing chemicals where such de-icing materials are stored either within the permit area or a	include a water surface area of at least 1/4 acre or equivalent submerged surface area for submerged wetlands. The canopy or covered area shall be large enough to allow normal load-out and cleanup of spilled de-icing materials, without mixing with precipitation and	claimed in the year the wetland is constructed and in subsequent years the wetland remains in operation. Points may be claimed in the initial year of construction and in subsequent years the canopy/covered area	be claimed for the year in which the wetland is constructed, l point may be claimed for each subsequent year the wetland remains in operation. 3 points may be claimed for the year in which the canopy/covered area is constructed, 2 points may be claimed for each subsequent
Install and operate a constructed wetland at a municipal facility such as at a parking lot, shop, maintenance facility, rest area or any other industrial/commercial type facility, e.g. recycling facility, transfer station, kennel, or airport. Lbmp P P/G H - 11 Install a canopy or other covered area for load-out of salt or other de-icing chemicals where such de-icing materials are stored either within the permit area or a storage facility	include a water surface area of at least 1/4 acre or equivalent submerged surface area for submerged wetlands. The canopy or covered area shall be large enough to allow normal load-out and cleanup of spilled de-icing materials, without mixing with precipitation and resulting in	claimed in the year the wetland is constructed and in subsequent years the wetland remains in operation. Points may be claimed in the initial year of construction and in subsequent years the canopy/covered area remains in	be claimed for the year in which the wetland is constructed, l point may be claimed for each subsequent year the wetland remains in operation. 3 points may be claimed for the year in which the canopy/covered area is constructed, 2 points may be claimed for each subsequent year the
Install and operate a constructed wetland at a municipal facility such as at a parking lot, shop, maintenance facility, rest area or any other industrial/commercial type facility, e.g. recycling facility, transfer station, kennel, or airport. Lbmp P P/G H - 11 Install a canopy or other covered area for load-out of salt or other de-icing chemicals where such de-icing materials are stored either within the permit area or a storage facility located within 30	include a water surface area of at least 1/4 acre or equivalent submerged surface area for submerged wetlands. The canopy or covered area shall be large enough to allow normal load-out and cleanup of spilled de-icing materials, without mixing with precipitation and resulting in contaminated runoff	claimed in the year the wetland is constructed and in subsequent years the wetland remains in operation. Points may be claimed in the initial year of construction and in subsequent years the canopy/covered area remains in	be claimed for the year in which the wetland is constructed, l point may be claimed for each subsequent year the wetland remains in operation. 3 points may be claimed for the year in which the canopy/covered area is constructed, 2 points may be claimed for each subsequent year the canopy/covered
Install and operate a constructed wetland at a municipal facility such as at a parking lot, shop, maintenance facility, rest area or any other industrial/commercial type facility, e.g. recycling facility, transfer station, kennel, or airport. Lbmp P P/G H - 11 Install a canopy or other covered area for load-out of salt or other de-icing chemicals where such de-icing materials are stored either within the permit area or a storage facility	include a water surface area of at least 1/4 acre or equivalent submerged surface area for submerged wetlands. The canopy or covered area shall be large enough to allow normal load-out and cleanup of spilled de-icing materials, without mixing with precipitation and resulting in	claimed in the year the wetland is constructed and in subsequent years the wetland remains in operation. Points may be claimed in the initial year of construction and in subsequent years the canopy/covered area remains in	be claimed for the year in which the wetland is constructed, l point may be claimed for each subsequent year the wetland remains in operation. 3 points may be claimed for the year in which the canopy/covered area is constructed, 2 points may be claimed for each subsequent year the

Kansas Permit No.: M-M012-SN01

Page 37 of 43

The canopy or other covered area for load-out of salt or other de-icing materials may be installed at a facility owned by the permittee or at a facility owned by an entity the permittee contracts with as long as the facility is located within 30 miles of this permit area. Lbmp P P/G H - 12	following load out operations		
Install a stormwater treatment system for capture of either trash, sediment, or debris. Systems may include any proprietary stormwater treatment system including CDS, Hancor, Enviro 21, etc. or similar custom designed systems. A system can be installed at a single municipal storm sewer outfall or on the storm sewer line immediately upstream of the outfall to reduce the discharge of floatables or other objects to receiving waters. Alternately, a system may be installed on a stormwater line to provide treatment at problem locations.	The treatment system or method must be capable of continuous operation during stormwater discharges. An emergency bypass or overflow line can be included to avoid surcharging/flooding in the event the system is overloaded or fails to operate properly at any time. A log of the material (noting either volume or weight) captured and prevented from discharge to the receiving water shall be maintained.	Volume or weight of the material shall be documented for either each discharge event, on a quarterly basis or at least annually.	3 points may be claimed in the year the treatment system is initially implemented, 2 points may be claimed for each successive year the treatment system continues to be implemented.

- b. Documentation of compliance with the goal and implementation time schedule must be maintained on file to claim the associated points. Permittee is responsible for implementing adequate BMPs to comply with the Pollution Prevention/Good Housekeeping for Municipal Operations requirements of this permit and be able to claim at least the required number of points in the calendar years as specified above. Extent of compliance, i.e., equal or exceed the required annual point total or failure to reach the required annual point total, must be reported in the Annual Report.
- c. The permittee is not limited to implementation of the BMPs listed in the above table. Several other BMPs may be implemented, however, only

Kansas Permit No.: M-MO12-SN01 Page 38 of 43

implementation of the BMPs listed in the table may be documented and counted toward the required annual point total.

Guidance useful in implementing the six minimum control measures can be obtained from the Online Water Library (OWL) of the Center for Watershed Protection. A list of url links to helpful guidance documents, including OWL, can be found on the KDHE Municipal Stormwater Program website at the following url:

http://www.kdheks.gov/muni/download/MS4 NPDES Permit helpful guidance.pdf

Document titled "MS4 NPDES Permit Helpful Guidance and/or Resources"

D. Total Maximum Daily Load (TMDL) Regulated Pollutants

This PART I - Section D requirement is not applicable to this permit. No action is required at this time for Total Maximum Daily Load (TMDL) Regulated Pollutants as there are no identified TMDL impacted streams within or adjacent to the municipality which justify implementing actions under this section.

PART II. TOTAL MAXIMUM DAILY LOAD (TMDL) BEST MANAGEMENT PRACTICES AND SURFACE WATER MONITORING

This Part II requirement is not applicable to this permit. No action is required at this time for Total Maximum Daily Load (TMDL) Best Management Practices and Surface Water Monitoring as there are no identified TMDLs impacting streams within or adjacent to the municipality.

PART III. MONITORING INDUSTRIAL STORMWATER DISCHARGES:

This PART III requirement is not applicable to Phase II permittees. No action is required at this time for Monitoring Industrial Stormwater Discharges.

PART IV. PERMIT COMPLIANCE ACTIVITIES AND SCHEDULES

A. Year 2019:

The required update to the stormwater management program (SMP) document, as required in PART I B. Updated Stormwater Management Program document, should be considered in 2019 and planning initiated for allocating time and effort to complete this task to update the SMP document prior to the submission deadline in 2021.

The Annual Report for calendar year 2018 must be submitted to KDHE between January 1 and February 28, 2019.

B. Year 2020:

Any remaining tasks necessary to complete the update of the SMP should be completed in 2020.

The Annual Report for calendar year 2019 must be submitted to KDHE between January 1 and February 28, 2020.

Kansas Permit No.: M-MO12-SN01

Page 39 of 43

C. Year 2021:

The updated SMP document must be submitted to KDHE with the 2020 Annual Report between January 1 and February 28, 2021.

The permittee must implement sufficient listed BMPs to achieve minimum point requirements for each year beginning in 2021.

The Annual Report for calendar year 2020 must be submitted to KDHE between January 1 and February 28, 2021.

D. Year 2022:

The permittee must implement sufficient listed BMPs to achieve minimum point requirements for each year.

The Annual Report for calendar year 2021 must be submitted to KDHE between January 1 and February 28, 2022.

E. Year 2023

The permittee must implement sufficient listed BMPs to achieve minimum point requirements for each year. The point total requirements increase this year.

By February 28, 2023, provide a report (in PDF format) on effectiveness of source controls and structural BMPs to attenuate pollutant discharge and achieve the measurable goals. This report must be submitted to KDHE along with the Annual Report for 2022.

The Annual Report for calendar year 2022 must be submitted to KDHE between January 1 and February 28, 2023.

F. Year 2024

The permittee must implement sufficient listed BMPs to achieve minimum point requirements for each year.

The Annual Report for calendar year 2023 must be submitted to KDHE between January 1 and February 28, 2024.

PART V. REPORTING

The permittee shall submit a calendar year annual report to KDHE by February 28 of each year. The annual report shall be submitted to KDHE in the form specified by KDHE. Normally an annual report template (Basic Report) is posted on the KDHE website in the last three months of each year. The report template can be downloaded and completed. The completed annual report along with attachments or other documents which need to be submitted in association with the annual report shall all be submitted in PDF file formats to KDHE on a standard compact disk (CD) or digital versatile disk (DVD). The initial report under this permit is due February 28, 2020 for calendar year 2019. Once KDHE has implemented the KEIMS web-based system, all documents submitted will be required to be uploaded through the KEIMS program. KDHE will provide notification to the permittee when reporting via the KEIMS system is required. The annual report shall cover the activities during the previous calendar year and must include:

A. Provide the status of compliance with permit conditions, an assessment of the appropriateness of the implemented Best Management Practices, progress towards achieving the statutory goal of reducing the discharge of pollutants to the maximum

Kansas Permit No.: M-MO12-SN01

Page 40 of 43

extent practicable, and the measurable goals (with an indication of the progress toward meeting the goals) for each of the six minimum control measures.

- B. Provide results of information collected and analyzed, (for example test results, surveys, or public comments/input) during the annual reporting period. This may include monitoring data used to assess the success of best management practices with respect to reduction in pollutant discharge. Include an interpretation of the information which addresses success or failure of the portion of the program for which the information applies.
- C. Provide a summary of the stormwater activities that were scheduled to be undertaken during the previous calendar year and the status of these activities.
- D. Provide a summary of the stormwater activities which are scheduled to be undertaken during the next calendar year (including an implementation schedule).
- E. Provide a map showing changes in the permittee's Permit Area if the Permit Area has changed within the year.
- F. Provide a description of significant changes in any of the BMPs.
- G. Provide copies of any ordinances or resolutions which were updated in the last year and are associated with the SMP.
- H. Provide a list of other parties (such as other municipalities or consultants), which are responsible for implementing any of the program areas of the Stormwater Management Program.

STANDARD CONDITIONS FOR KANSAS WATER POLLUTION CONTROL AND NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM MS4 PERMITS

- 1. Representative Sampling and Monitoring Report Submittals:
 - A. Samples and measurements taken as required herein shall be representative of the quality of the monitored water. Test results shall be recorded for the day the samples were taken. All samples shall normally be taken at the locations designated by the permittee in the Stormwater Management Plan according to the requirements of this permit. In the event samples must be obtained from a location different than that designated in the Stormwater Management Plan the annual report shall indicate the change of location and provide the justification therefore.
 - B. Monitoring results shall be recorded and reported on forms acceptable to the Division and provided in the annual report. Signed and certified copies of the annual report prepared in accordance with KAR 28-16-59, and all other reports required herein, shall be sent by U.S. mail to:

Kansas Department of Health & Environment Bureau of Water-Municipal Programs Section 1000 SW Jackson Street, Suite 420 Topeka, KS 66612-1367

2. Definitions:

- A. A "grab sample" is an individual sample collected in less than 15 minutes. A "composite sample" is a combination of individual samples in which the volume of each individual sample is proportional to the flow, or the sample frequency is proportional to time.
- B. The terms "Director", "Division", and "Department" refer to the Director, Division of Environment, Kansas Department of Health and Environment, respectively.
- C. "Severe property damage" means substantial physical damage to property, damage to the treatment/control facilities which causes them to become inoperable, or substantial and permanent loss of natural resources which can reasonably be expected to occur in the absence of a diversion.
- 3. Duty to Mitigate: The permittee shall take all reasonable steps to minimize or prevent any damage to the environment or hazard to human health from any discharge in violation of this permit.
- 4. Test Procedures: All analyses required by this permit shall conform to the requirements of 40 CFR Part 136, unless otherwise specified, and shall be conducted in a laboratory accredited by the Department. For each measurement or sample, the permittee shall record the exact place, date, and time of measuring/sampling; the date and time of the analyses, the analytical techniques or methods used, minimum detection or reportable level, and the individual(s) who performed the measuring/sampling and analysis and, the results. If the permittee monitors any pollutant at the location(s) designated herein more frequently than required by this permit, using approved procedures, the results shall be included in the Monitoring Report form required in 1.B. above. Such increased frequencies shall also be indicated.
- 5. Change in Discharge: All stormwater discharges shall be in compliance with the conditions of the permit. Modification or expansion of the storm sewer system is allowed. All new storm sewer segments and outfalls constructed after the effective date of the permit, which are located within the permit area, are authorized under the permit and must comply with the permit conditions.
- 6. Proper Operations and Maintenance: The permittee shall at all times properly operate and maintain all facilities and systems of treatment and control (and related appurtenances) which are installed or used by the permittee to achieve compliance with the requirements of this permit and Kansas and Federal law.

7. Incident Reporting: The permittee shall report any unanticipated significant incidents which would be expected to result in non-compliance with the permit requirements within 24 hours from the time the permittee became aware of the incident. A written submission shall be provided within 5 days of the time the permittee became aware of the incident. The written submission shall contain a description of the noncompliance and its cause, the period of noncompliance, including exact dates and times; and if the noncompliance has not been corrected, the anticipated time it is expected to continue; and steps taken or planned to reduce, eliminate, and prevent recurrence of the noncompliance.

For an anticipated incident or any planned changes or activities in the permitted control/treatment facility that may result in noncompliance with the permit requirements, the permittee shall submit written notice, if possible, at least ten days before the date of the event.

- 8. Removed Substances: Solids, sludges, debris, or other pollutants removed in the course of control/treatment of stormwater shall be utilized or disposed of in a manner acceptable to the Division.
- 9. Right of Entry: The permittee shall allow authorized representatives of the Division of Environment or the Environmental Protection Agency upon the presentation of credentials, to enter upon the permittee's premises where a stormwater discharge or source is located, or in which are located any records required by this permit, and at reasonable times, to have access to and copy any records required by this permit, to inspect any facilities, monitoring equipment or monitoring method required in this permit, and to sample any stormwater discharges from or influents into the stormwater control/treatment facilities.
- Transfer of Ownership: The permittee shall notify the succeeding owner or controlling person of the existence of this permit by certified letter, a copy of which shall be forwarded to the Division. The succeeding owner shall secure a new permit. This permit is not transferable to any person except after notice and approval by the Director. The Director may require modification or revocation and reissuance of the permit to change the name of the permittee and incorporate such other requirements as may be necessary.
- 11. Records Retention: Unless otherwise specified, all records and information resulting from the monitoring activities required by this permit, including all records of analyses and calibration and maintenance of instruments and recordings from continuous monitoring instruments, shall be retained for a minimum of 3 years, or longer if requested by the Division.
- 12. Availability of Records: Except for data determined to be confidential under 33 USC Section 1318, all reports prepared in accordance with the terms of this permit shall be available for public inspection at the offices of the Department. Treated and raw stormwater data shall not be considered confidential. Knowingly making any false statement on any such report or tampering with equipment to falsify data may result in the imposition of criminal penalties as provided for in 33 USC Section 1319 and KSA 65-170c.
- 13. Permit Modifications and Terminations: As provided by KAR 28-16-62, after notice and opportunity for a hearing, this permit may be modified, suspended or revoked or terminated in whole or in part during its term for cause as provided, but not limited to those set forth in KAR 28-16-62 and KAR 28-16-28b through g. The permittee shall furnish to the Director, within a reasonable amount of time, any information which the Director may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit or to determine compliance with this permit. The permittee shall also furnish upon request, copies of all records required to be kept by this permit. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance does not stay any permit condition.
- 14. Administrative, Civil and Criminal Liability: The permittee shall comply with all requirements of this permit. Nothing in this permit shall be construed to relieve the permittee from administrative, civil or criminal penalties for noncompliance as provided for in KSA 65-161 et seq., and 33 USC Section 1319.
- 15. Oil and Hazardous Substance Liability: Nothing in this permit shall be construed to preclude the institution of any legal action or relieve the permittee from any responsibilities, liabilities or penalties to which the permittee is or may be subject to under 33 USC Section 1321 or KSA 65-164 et seq. A permittee shall promptly notify the Division by telephone upon discovering crude oil or any petroleum derivative in its storm sewer system or stormwater control/treatment facilities.

Standard Conditions Page **42** of **43**

- 16. Property Rights: The issuance of this permit does not convey any property rights in either real or personal property, or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights nor any infringements of or violation of federal, state or local laws or regulations.
- 17. Severability: The provisions of this permit are severable. If any provision of this permit or any circumstance is held invalid, the application of such provision to other circumstances and the remainder of the permit shall not be affected thereby.
- 18. Removal from Service: The permittee shall inform the Division at least three months before any control/treatment unit, or any other part of the control/treatment facility permitted by this permit is to be removed from service and shall make arrangements acceptable to the Division to decommission the facility or part of the facility being removed from service such that the public health and waters of the state are protected.
- 19. Duty to Reapply: A permit holder wishing to continue any activity regulated by this permit after the expiration date, must apply for a new permit at least 180 days prior to expiration of the permit.